

Datasheet for ABIN7354586

anti-PDE4D antibody (AA 466-709) (DyLight 488)



Overview

Quantity:	100 μg
Target:	PDE4D
Binding Specificity:	AA 466-709
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PDE4D antibody is conjugated to DyLight 488
Application:	Flow Cytometry (FACS)

Product Details

Purpose:	Anti-Human PDE4D DyLight® 488 conjugated Antibody
Immunogen:	E. coli-derived human PDE4D recombinant protein (Position: H466-Q709).
Isotype:	IgG
Cross-Reactivity (Details):	No cross-reactivity with other proteins.
Characteristics:	Anti-Human PDE4D DyLight® 488 conjugated Antibody -Dyl488. Tested in Flow Cytometry applications. This antibody reacts with Human.

Target Details

Target:	PDE4D
Alternative Name:	PDE4D (PDE4D Products)

Target Details

Background:	Synonyms: cAMP-specific 3',5'-cyclic phosphodiesterase 4D, DPDE3, PDE43, PDE4D, DPDE3
	Tissue Specificity: Expressed in colonic epithelial cells (at protein level). Widespread, most
	abundant in skeletal muscle. Isoform 6 is detected in brain. Isoform 8 is detected in brain,
	placenta, lung and kidney. Isoform 7 is detected in heart and skeletal muscle.
	Background: cAMP-specific 3',5'-cyclic phosphodiesterase 4D is an enzyme that in humans is
	encoded by the PDE4D gene. This gene encodes one of four mammalian counterparts to the
	fruit fly 'dunce' gene. The encoded protein has 3',5'-cyclic-AMP phosphodiesterase activity and
	degrades cAMP, which acts as a signal transduction molecule in multiple cell types. This gene
	uses different promoters to generate multiple alternatively spliced transcript variants that encode functional proteins.
Molecular Weight:	39 kDa
Gene ID:	5144
UniProt:	Q08499
Pathways:	Cellular Response to Molecule of Bacterial Origin, cAMP Metabolic Process, Myometrial
	Relaxation and Contraction, Regulation of G-Protein Coupled Receptor Protein Signaling
Application Details	
Application Notes:	Flow Cytometry (Fixed), 1-3 µg/1x10 ⁶ cells1. "Entrez Gene: PDE4D phosphodiesterase 4D,
	cAMP-specific (phosphodiesterase E3 dunce homolog, Drosophila)". 2. Michot C, Le Goff C,
	Goldenberg A, Abhyankar A, Klein C, Kinning E, Guerrot AM, Flahaut P, Duncombe A, Baujat G,
	Lyonnet S, Thalassinos C, Nitschke P, Casanova JL, Le Merrer M, Munnich A, Cormier-Daire V
	(Apr 2012). "Exome sequencing identifies PDE4D mutations as another cause of
	acrodysostosis". American Journal of Human Genetics. 90 (4): 740-5.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Each vial contains 50 % glycerol, 0.9 % NaCl, 0.2 % Na2HPO4, 0.02 % Sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

should be handled by trained staff only.

Handling

Storage:	-20 °C
Storage Comment:	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from
	light.