

Datasheet for ABIN7354728

anti-Dynamin 1 antibody (AA 616-667) (DyLight 488)



Overview

Quantity:	100 μg
Target:	Dynamin 1 (DNM1)
Binding Specificity:	AA 616-667
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Dynamin 1 antibody is conjugated to DyLight 488
Application:	Flow Cytometry (FACS)
Product Details	
Purpose:	Anti-Human Dynamin 1 DyLight® 488 conjugated DNM1 Antibody
Immunogen:	E. coli-derived human Dynamin 1 recombinant protein (Position: W616-D667).
Isotype:	IgG
Cross-Reactivity (Details):	No cross-reactivity with other proteins.
Characteristics:	Anti-Human Dynamin 1 DyLight® 488 conjugated DNM1 Antibody -Dyl488. Tested in Flow Cytometry applications. This antibody reacts with Human.
Target Details	
Target:	Dynamin 1 (DNM1)
Alternative Name:	DNM1 (DNM1 Products)

Target Details

Background:	Synonyms: Dynamin-1, DNM1, DNM
	Background: Dynamin-1 is a protein that in humans is encoded by the DNM1 gene. This gene
	encodes a member of the dynamin subfamily of GTP-binding proteins. The encoded protein
	possesses unique mechanochemical properties used to tubulate and sever membranes, and is
	involved in clathrin-mediated endocytosis and other vesicular trafficking processes. Actin and
	other cytoskeletal proteins act as binding partners for the encoded protein, which can also self-
	assemble leading to stimulation of GTPase activity. More than sixty highly conserved copies of
	the 3' region of this gene are found elsewhere in the genome, particularly on chromosomes Y
	and 15. Alternatively spliced transcript variants encoding different isoforms have been
	described.
Molecular Weight:	39 kDa
Gene ID:	1759
UniProt:	Q05193
Pathways:	Toll-Like Receptors Cascades, CXCR4-mediated Signaling Events, Thromboxane A2 Receptor
	Signaling
Application Details	
Application Notes:	Flow Cytometry (Fixed), 1-3 μg/1x10 ⁶ cells1. Dhindsa, R. S., Bradrick, S. S., Yao, X., Heinzen, E.
	L., Petrovski, S., Krueger, B. J., Johnson, M. R., Frankel, W. N., Petrou, S., Boumil, R. M., Goldstein,
	D. B. Epileptic encephalopathy-causing mutations in DNM1 impair synaptic vesicle endocytosis.
	Neurol. Genet. 1: e4, 2015. 2. EuroEPINOMICS-RES Consortium, Epilepsy Phenome/Genome
	Project, Epi4K Consortium. De novo mutations in synaptic transmission genes including DNM1
	cause epileptic encephalopathies. Am. J. Hum. Genet. 95: 360-370, 2014.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Each vial contains 50 % glycerol, 0.9 % NaCl, 0.2 % Na2HPO4, 0.02 % Sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.

Handling

Storage:	-20 °C
Storage Comment:	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from
	light.