

Datasheet for ABIN7354764 anti-BMP5 antibody (C-Term) (DyLight 550)



Go to Product page

_				
()	ve.	rv/	101	Λ

Overview	
Quantity:	100 μg
Target:	BMP5
Binding Specificity:	AA 332-365, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BMP5 antibody is conjugated to DyLight 550
Application:	Flow Cytometry (FACS)
Product Details	

Purpose:	Anti-Human BMP5 DyLight® 550 conjugated Antibody	
Immunogen:	A synthetic peptide corresponding to a sequence at the C-terminus of human BMP5, different from the related mouse sequence by three amino acids.	
Sequence:	HQDSSRMSSV GDYNTSEQKQ ACKKHELYVS FRDL	
Isotype:	IgG	
Cross-Reactivity (Details):	No cross-reactivity with other proteins.	
Characteristics:	Anti-Human BMP5 DyLight® 550 conjugated Antibody -Dyl550. Tested in Flow Cytometry applications. This antibody reacts with Human.	
Purification:	Immunogen affinity purified.	

Target Details

Target:	BMP5	
Alternative Name:	BMP5 (BMP5 Products)	
Background:	Synonyms: Bone morphogenetic protein 5, BMP-5, BMP5	
	Tissue Specificity: Expressed in the lung and liver.	
	Background: Bone morphogenetic protein 5 is a protein that in humans is encoded by the BMP	
	gene. This gene encodes a member of the bone morphogenetic protein family which is part of	
	the transforming growth factor-beta superfamily. The superfamily includes large families of	
	growth and differentiation factors. Bone morphogenetic proteins were originally identified by ar	
	ability of demineralized bone extract to induce endochondral osteogenesis in vivo in an	
	extraskeletal site. These proteins are synthesized as prepropeptides, cleaved, and then	
	processed into dimeric proteins. And this protein may act as an important signaling molecule	
	within the trabecular meshwork and optic nerve head, and may play a potential role in	
	glaucoma pathogenesis. This gene is differentially regulated during the formation of various	
	tumors.	
Molecular Weight:	39 kDa	
Gene ID:	653	
UniProt:	P22003	
Pathways:	Regulation of Hormone Metabolic Process, Regulation of Hormone Biosynthetic Process	
Application Details		
Application Notes:	Flow Cytometry (Fixed), 1-3 µg/1x10 ⁶ cells1. "Entrez Gene: BMP5 bone morphogenetic protein	
	5". 2. Beck HN, Drahushuk K, Jacoby DB, Higgins D, Lein PJ (Mar 2003). "Bone morphogenetic	
	protein-5 (BMP-5) promotes dendritic growth in cultured sympathetic neurons". BMC Neurosci	
	2: 12. 3. Hahn GV, Cohen RB, Wozney JM, Levitz CL, Shore EM, Zasloff MA, Kaplan FS (Dec	
	1992). "A bone morphogenetic protein subfamily: chromosomal localization of human genes	
	for BMP5, BMP6, and BMP7". Genomics 14 (3): 759-62.	
	Other applications have not been tested. Optimal dilutions should be determined by end users.	
Comment:	other applications have not been tested. Optimal dilations should be determined by end asers.	
	For Research Use only	
Comment: Restrictions: Handling		
Restrictions:		

Handling

Buffer:	Each vial contains 50 % glycerol, 0.9 % NaCl, 0.2 % Na2HPO4, 0.02 % Sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light.	