# antibodies - online.com







# anti-Neuroglobin antibody (AA 51-151)

**Images** 



#### Overview

Quantity:	100 μL
Target:	Neuroglobin (NGB)
Binding Specificity:	AA 51-151
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Neuroglobin antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## **Product Details**


Immunogen:	KLH conjugated synthetic peptide derived from mouse NGB
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Cow,Pig,Rabbit
Purification:	Purified by Protein A.

### **Target Details**

Target: Neuroglobin (NGB)


# **Target Details**

rarget Details	
Alternative Name:	NGB/neuroglobin (NGB Products)
Background:	Synonyms: Neuroglobin, Ngb
	Background: Involved in oxygen transport in the brain. Hexacoordinate globin, displaying
	competitive binding of oxygen or the distal His residue to the iron atom. Not capable of
	penetrating cell membranes. The deoxygenated form exhibits nitrite reductase activity inhibiting
	cellular respiration via NO-binding to cytochrome c oxidase. Involved in neuroprotection during
	oxidative stress. May exert its anti-apoptotic activity by acting to reset the trigger level of
	mitochondrial cytochrome c release necessary to commit the cells to apoptosis.
Gene ID:	64242
UniProt:	Q9ER97
Application Details	
Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



#### **Immunohistochemistry**

Image 1. Formalin-fixed and paraffin embedded human brain tissue labeled with Anti-NGB/neuroglobin, Unconjugated (ABIN735488) followed by conjugation to the secondary antibody



#### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 2.** Paraformaldehyde-fixed, paraffin embedded rat brain, Antigen retrieval by boiling in sodium citrate buffer (pH6) for 15min, Block endogenous peroxidase by 3% hydrogen peroxide for 30 minutes, Blocking buffer (normal goat serum) at 37°C for 20min, Antibody incubation with NGB/neuroglobin Polyclonal Antibody, Unconjugated at 1:500 overnight at 4°C, followed by a conjugated secondary and DAB staining