

Datasheet for ABIN735677

anti-P4HTM antibody (AA 201-300) (HRP)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	P4HTM
Binding Specificity:	AA 201-300
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This P4HTM antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PH-4
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	P4HTM
Alternative Name:	P4HTM (P4HTM Products)

Target Details

Background:	Synonyms: Transmembrane prolyl 4-hydroxylase, Proline hydrolase 4, proline 4-hydroxylase, P4htm, hypoxia-inducible factor prolyl 4-hydroxylase, P4H-TM, H-prolyl hydroxylase PH-4, P4HTM_HUMAN, Hypoxia-inducible factor prolyl hydroxylase 4, H-PH4, H-prolyl hydroxylase 4, HPH-4, transmembrane prolyl 4-hydroxylase isoform a, P4HTM, EGLN4, HPH4, P4H-TM, PH-4, PH4, PHD4, P4H with transmembrane domain, Prolyl hydroxylase domain-containing 4, hypoxia inducible factor prolyl 4 hydroxylase, H-prolyl hydroxylase 4. Background: The product of this gene belongs to the family of prolyl 4-hydroxylases. This protein is a prolyl hydroxylase that may be involved in the degradation of hypoxia-inducible transcription factors under normoxia. It plays a role in adaptation to hypoxia and may be related to cellular oxygen sensing. Alternatively spliced variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008].
-------------	---

Application Details

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months