

[Go to Product page](#)

Datasheet for ABIN736255

**anti-TGM3 antibody (AA 601-693) (Biotin)**

## Overview

Quantity:	100 µL
Target:	TGM3
Binding Specificity:	AA 601-693
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TGM3 antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TGM3
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Horse,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	TGM3
Alternative Name:	TGM3 ( <a href="#">TGM3 Products</a> )

## Target Details

Background:	<p>Synonyms: TGE, Protein-glutamine gamma-glutamyltransferase E, Transglutaminase E, TG(E), TGase E, Transglutaminase-3, TGase-3, TGM3</p> <p>Background: Catalyzes the calcium-dependent formation of isopeptide cross-links between glutamine and lysine residues in various proteins, as well as the conjugation of polyamines to proteins. Involved in the formation of the cornified envelope (CE), a specialized component consisting of covalent cross-links of proteins beneath the plasma membrane of terminally differentiated keratinocytes. Catalyzes small proline-rich proteins (SPRR1 and SPRR2) and LOR cross-linking to form small interchain oligomers, which are further cross-linked by TGM1 onto the growing CE scaffold (By similarity). In hair follicles, involved in cross-linking structural proteins to hardening the inner root sheath.</p>
Gene ID:	7053
UniProt:	<a href="#">Q08188</a>

## Application Details

Application Notes:	<p>IHC-P 1:200-400</p> <p>IHC-F 1:100-500</p>
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months