# antibodies -online.com





# anti-NAP1L1 antibody (AA 101-200)



_						
( )	V	ρ	rv	16	$\supset I$	Λ

Quantity:	100 μL	
Target:	NAP1L1	
Binding Specificity:	AA 101-200	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NAP1L1 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

#### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NAP1L1	
Isotype:	IgG	
Cross-Reactivity:	Human, Rat	
Predicted Reactivity:	Mouse	
Purification:	Purified by Protein A.	

## Target Details

## **Target Details**

Alternative Name:	NAP1L1 (NAP1L1 Products)		
Background:	Synonyms: NAP1L, FLJ16112, hNRP, HSP22 like protein interacting protein, MGC23410,		
	MGC8688, NAP 1, NAP 1 related protein, NAP 1L, NAP-1 related protein, NAP-1-related protein,		
	NAP1, NAP1 L1, NAP1 related protein, Nap1l1, NAP1L1 protein, NP1L1_HUMAN, NRP,		
	Nucleosome assembly protein 1 like 1, Nucleosome assembly protein 1-like 1.		
	Background: This gene encodes a member of the nucleosome assembly protein (NAP) family.		
	This protein participates in DNA replication and may play a role in modulating chromatin		
	formation and contribute to the regulation of cell proliferation. The binding of sequence-specific		
	DNA binding proteins to human nucleosome assembly protein 1 may be an important step		
	contributing to the activation of transcription. May be involved in modulating chromatin		
	formation and contribute to regulation of cell proliferation.		
Gene ID:	4673		
Application Details			
Application Notes:	WB 1:300-5000		
	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		

$\vdash$	land	lına
	iaria	шц

Expiry Date:

12 months