



[Go to Product page](#)

Datasheet for ABIN737124  
**anti-KLF2/4 antibody (AA 415-513) (Cy3)**

### Overview

Quantity:	100 µL
Target:	KLF2/4
Binding Specificity:	AA 415-513
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KLF2/4 antibody is conjugated to Cy3
Application:	Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Western Blotting (WB)

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human KLF4
Isotype:	IgG
Specificity:	This antibody may crossreact with KLF2 due to high sequence similarity.
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Cow, Sheep, Pig, Horse, Chicken, Guinea Pig
Purification:	Purified by Protein A.

### Target Details

Target:	KLF2/4
---------	--------

## Target Details

---

Abstract:	<a href="#">KLF2/4 Products</a>
Background:	<p>Synonyms: EZF, GKLF, Krueppel-like factor 4, Epithelial zinc finger protein EZF, Gut-enriched krueppel-like factor, KLF4</p> <p>Background: Transcription factor, can act both as activator and as repressor. Binds the 5'-CACCC-3' core sequence. Binds to the promoter region of its own gene and can activate its own transcription. Regulates the expression of key transcription factors during embryonic development. Plays an important role in maintaining embryonic stem cells, and in preventing their differentiation. Required for establishing the barrier function of the skin and for postnatal maturation and maintenance of the ocular surface. Involved in the differentiation of epithelial cells and may also function in skeletal and kidney development. Contributes to the down-regulation of p53/TP53 transcription.</p>
Gene ID:	9314
UniProt:	<a href="#">O43474</a>

## Application Details

---

Application Notes:	<p>FCM 1:20-100</p> <p>IF(IHC-P) 1:50-200</p> <p>IF(IHC-F) 1:50-200</p> <p>IF(ICC) 1:50-200</p>
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

## Handling

---

Expiry Date: 12 months