antibodies -online.com







Images



Go to Product page

Overview

Quantity:	100 μL
Target:	KIAA0101 (PAF)
Reactivity:	Chemical
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KIAA0101 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details


Immunogen:	KLH conjugated PAF
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Cross-Reactivity (Details):	PAF
Purification:	Purified by Protein A.

Target Details

Target:	KIAA0101 (PAF)
Alternative Name:	Paf (PAF Products)


Target Details	
Target Type:	Chemical
Background:	Synonyms: 1-Hexadecyl-2-acetyl-sn-glycero-3-phosphocholine, 1-0-Palmityl-2-acetyl-sn-glycero
	3-phosphocholine monohydrate, 2-Acetyl-1-hexadecyl-sn-glycero-3-phosphocholine, 3-sn-
	Phosphatidylcholine, 1-hexadecyl-2-acetyl, PAFC16.
	Background: Azelaoyl PAF is a potent PPAR_ agonist which competes for the thiazolidinedione
	binding site.
Pathways:	Chromatin Binding
Application Details	
Application Notes:	IHC-P 1:100-500
	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Duffen	0.01M TD0/ m11.7.4) with 1.0/ D0A 0.000/ Drawlin 200 and 50.0/ Charanal

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months




Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded human gastric carcinoma tissue labeled with Anti-PAF Polyclonal Antibody, Unconjugated (ABIN737931) at 1:200 followed by conjugation to the secondary antibody and DAB staining



Immunohistochemistry

Image 2. Formalin-fixed and paraffin embedded rat colon tissue labeled with Anti-PAF Polyclonal Antibody, Unconjugated (ABIN737931) at 1:200 followed by conjugation to the secondary antibody and DAB staining



Immunohistochemistry

Image 3. Formalin-fixed and paraffin embedded human placenta tissue labeled with Rabbit Anti-PAF Polyclonal Antibody, Unconjugated (ABIN737931) 1:200 followed by conjugation to the secondary antibody and DAB staining

Please check the product details page for more images. Overall 5 images are available for ABIN737931.