.-online.com antibodies

Datasheet for ABIN7383842 anti-RSV Fusion Protein antibody



Overview

Quantity:	100 µL
Target:	RSV Fusion Protein (RSV F)
Reactivity:	Respiratory Syncytial Virus (RSV)
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This RSV Fusion Protein antibody is un-conjugated
Application:	ELISA, Micro-Neutralization Assay (MNA)
Product Details	
Immunogen:	Recombinant RSV (A2) Fusion glycoprotein / RSV-F Protein (His Tag), ABIN7198760
Clone:	R338
lsotype:	lgG
Specificity:	Anti-Human respiratory syncytial virus(RSV) Fusion glycoprotein/RSV-F Neutralizing Antibody
Purification:	Protein A Affinity

Target Details

Target:	RSV Fusion Protein (RSV F)
Alternative Name:	respiratory syncytial virus(RSV) Fusion glycoprotein/RSV-F (RSV F Products)
Background:	F,HRSVgp08,Human respiratory syncytial virus (HRSV) is the most common etiological agent of

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7383842 | 09/09/2023 | Copyright antibodies-online. All rights reserved. life. It is classified within the genus pneumovirus of the family paramyxoviridae. Like other members of the family, HRSV has two major surface glycoproteins (G and F) that play important roles in the initial stages of the infectious cycle. The G protein mediates attachment of the virus to cell surface receptors, while the F protein promotes fusion of the viral and cellular membranes, allowing entry of the virus ribonucleoprotein into the cell cytoplasm. The fusion (F) protein of RSV is synthesized as a nonfusogenic precursor protein (F), which during its migration to the cell surface is activated by cleavage into the disulfide-linked F1 and F2 subunits. This fusion is pH independent and occurs directly at the outer cell membrane, and the F2 subunit was identifed as the major determinant of RSV host cell specificity. The trimer of F1-F2 interacts with glycoprotein G at the virion surface. Upon binding of G to heparan sulfate, the hydrophobic fusion peptide is unmasked and induces the fusion between host cell and virion membranes. Notably, RSV fusion protein is unique in that it is able to interact directly with heparan sulfate and therefore is sufficient for virus infection. Furthermore, the fusion protein is also able to trigger p53-dependent apoptosis.

Application Details

Application Notes:	ELISA 1:1000-1:10000
Restrictions:	For Research Use only
Handling	
Concentration:	1 mg/mL
Buffer:	0.2 µm filtered solution in PBS
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.