# antibodies -online.com





## Datasheet for ABIN738525

# anti-AGE antibody (HRP)



#### Overview

Quantity:	100 μL
Target:	AGE
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AGE antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

#### **Product Details**

Immunogen:	AGEs
Isotype:	IgG
Specificity:	Reacts with BSA-AGE.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

### **Target Details**

Target:	AGE
Alternative Name:	AGEs (AGE Products)
Target Type:	Chemical

## **Target Details**

-	
Background:	Synonyms: Advanced Glycation End products, Serum albumin, BSA, ALB
	Background: Advanced Glycation End products (AGEs) are the result of a chain of chemical
	reactions after an initial glycation reaction. The intermediate products are known, variously, as
	Amadori, Schiff base and Maillard products, named after the researchers who first described
	them. (The literature is inconsistent in applying these terms. For example, Maillard reaction
	products are sometimes considered intermediates and sometimes end products.) Side
	products generated in intermediate steps may be oxidizing agents (such as hydrogen peroxide),
	or not (such as beta amyloid proteins). "Glycosylation" is sometimes used for "glycation" in the
	literature, usually as 'non-enzymatic glycosylation. The AGE-modified BSA was produced by
	reacting BSA with glycolaldehyde under sterile conditions followed by extensive dialysis and
	purification steps.
Gene ID:	280717
UniProt:	P02769
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish
	peroxidase.
Storage:	-20 °C

# Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months