antibodies -online.com







anti-CCR3 antibody (AA 251-355)





\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL	
Target:	CCR3	
Binding Specificity:	AA 251-355	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CCR3 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Target:

Immunogen:	KLH conjugated synthetic peptide derived from human CCR-3
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow
Purification:	Purified by Protein A.
Target Details	
Target Details	

CCR3

Target Details


Alternative Name:	CCR3 (CCR3 Products)	
Background:	Synonyms: CKR3, CD193, CMKBR3, CC-CKR-3, C-C chemokine receptor type 3, C-C CKR-3, CCR-3, CCR3, Eosinophil eotaxin receptor	
	Background: Receptor for a C-C type chemokine. Binds to eotaxin, eotaxin-3, MCP-3, MCP-4, RANTES and MIP-1 delta. Subsequently transduces a signal by increasing the intracellular calcium ions level. Alternative coreceptor with CD4 for HIV-1 infection.	
Gene ID:	1232	
UniProt:	P51677	

Application Details

Restrictions:	For Research Use only
	IF(ICC) 1:50-200
	IF(IHC-F) 1:50-200
	IF(IHC-P) 1:50-200
	IHC-F 1:100-500
	IHC-P 1:200-400
	ELISA 1:500-1000
Application Notes:	WB 1:300-5000


Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months




Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded rat colitis labeled with Anti-CCR3 Polyclonal Antibody, Unconjugated (ABIN738651) at 1:200 followed by conjugation to the secondary antibody and DAB staining.



Immunohistochemistry

Image 2. Formalin-fixed and paraffin embedded human breast carcinoma labeled with Anti-CCR3 Polyclonal Antibody, Unconjugated (ABIN738651) at 1:200 followed by conjugation to the secondary antibody and DAB staining.



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Formalin-fixed and paraffin embedded human breast carcinoma labeled with Anti-CCR3 Polyclonal Antibody, Unconjugated at 1:200 followed by conjugation to the secondary antibody and DAB staining.

Please check the product details page for more images. Overall 4 images are available for ABIN738651.