antibodies -online.com





anti-NT5C2 antibody (AA 1-100) (FITC)



Go to Product page

\sim			
	N/P	r\/I	i⊢₩

Quantity:	100 μL	
Target:	NT5C2	
Binding Specificity:	AA 1-100	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NT5C2 antibody is conjugated to FITC	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NT5C2
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow
Purification:	Purified by Protein A.

Target Details

Target:	NT5C2
Alternative Name:	NT5C2 (NT5C2 Products)

Target Details

Expiry Date:

12 months

Target Details	
Background:	Synonyms: GMP, NT5B, PNT5, SPG45, SPG65, cN-II, Cytosolic purine 5'-nucleotidase, Cytosolic
	5'-nucleotidase II, NT5C2, NT5CP
	Background: May have a critical role in the maintenance of a constant composition of
	intracellular purine/pyrimidine nucleotides in cooperation with other nucleotidases.
	Preferentially hydrolyzes inosine 5'-monophosphate (IMP) and other purine nucleotides.
Gene ID:	22978
UniProt:	P49902
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.