# antibodies -online.com





# anti-Apelin antibody (AA 65-77) (Biotin)



( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μL	
Target:	Apelin (APLN)	
Binding Specificity:	AA 65-77	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Apelin antibody is conjugated to Biotin	
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Apelin	
Isotype:	IgG	
Specificity:	The antibody's immunogen sequence is derived from the Apelin-13 peptide. Therefore the Antibody can detect each of the active peptides that can be produced via proteolytic processing of the Apelin precursor.	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

#### **Target Details**

Target: Apelin (APLN)	
-----------------------	--

## Target Details

Alternative Name:	Apelin (APLN Products)	
Background:	Synonyms: AGTRL1 ligand, APEL, APEL_HUMAN, Apelin-13, Apelin13, Apelin 13, APJ	
	endogenous ligand, Apln, XNPEP2	
	Background: Apelin is a neuropeptide expressed in the supraoptic and paraventricular nuclei	
	and is an endogenous ligand for APJ, a G protein-coupled orphan receptor which is an	
	alternative coreceptor with CD4 for HIV-1. Apelin and APJ are ubiquitously expressed in	
	peripheral tissues, with highest levels reported for heart and lungs, as well several regions	
	within the central nervous system. The actions of apelin remain largely unknown: Apelin inhibits	
	HIV-1 entry in cells coexpressing CD4 and APJ, the oral intake of Apelin in colostrum and breast	
	milk could have a role in the modulation of the immune responses in neonates, more recent	
	studies have also indicated a role for Apelin in the central control of body fluid homeostasis, by	
	influencing AVP release and drinking behavior. In the cardiovascular system several actions of	
	Apelin have been described, including endothelium-dependent vasodilatation, vasoconstriction	
	through direct action on smooth muscle and positive inotropism.	
Gene ID:	8862	
UniProt:	Q9ULZ1	
Pathways:	Positive Regulation of Peptide Hormone Secretion, Hormone Activity, Feeding Behaviour	
Application Details		
Application Notes:	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

## Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months