



[Go to Product page](#)

Datasheet for ABIN740514  
**anti-CCL19 antibody (AA 26-108) (HRP)**

### Overview

Quantity:	100 µL
Target:	CCL19
Binding Specificity:	AA 26-108
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCL19 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from mouse CCL19
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Pig
Purification:	Purified by Protein A.

### Target Details

Target:	CCL19
Alternative Name:	CCL19/MIP-3 beta ( <a href="#">CCL19 Products</a> )

## Target Details

---

Background:	<p>Synonyms: ELC, CKb11, MIP3B, Scya19, exodus-3, C-C motif chemokine 19, Epstein-Barr virus-induced molecule 1 ligand chemokine, EB11 ligand chemokine, Small-inducible cytokine A19, Ccl19</p> <p>Background: Strongly chemotactic for naive (L-selectinhi) CD4 T-cells and for CD8 T-cells and weakly attractive for resting B-cells and memory (L-selectinlo) CD4 T-cells. May play a role in promoting encounters between recirculating T-cells and dendritic cells and in the migration of activated B-cells into the T-zone of secondary lymphoid tissues. Binds to chemokine receptor CCR7. Binds to atypical chemokine receptor ACKR4 and mediates the recruitment of beta-arrestin (ARRB1/2) to ACKR4.</p>
Gene ID:	24047
UniProt:	<a href="#">O70460</a>
Pathways:	<a href="#">Positive Regulation of Immune Effector Process</a>

## Application Details

---

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

## Handling

---

Expiry Date: 12 months