-online.com antibodies

Datasheet for ABIN741827 anti-SLAMF7 antibody (AA 51-160) (Biotin)



Overview

Quantity:	100 μL
Target:	SLAMF7
Binding Specificity:	AA 51-160
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLAMF7 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SLAMF7
lsotype:	lgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Cow
Purification:	Purified by Protein A.

Target Details

Target:	SLAMF7
Alternative Name:	SLAMF7/CD319/CS1 (SLAMF7 Products)
Background:	Synonyms: 19A, 19A24 protein, CD 319, CD2 like receptor activating cytotoxic cells, CD2 subset

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN741827 | 03/06/2024 | Copyright antibodies-online. All rights reserved.

1, CD319, CD319 antigen, CRACC, CS1, Membrane protein FOAP 12, Novel Ly9, Novel LY9
lymphocyte antigen 9 like protein, Protein 19A, SLAM family member 7, SLAMF 7.
Background: SLAMF7 contains one Ig-like C2-type (immunoglobulin-like) domain. Isoform 1
mediates NK cell activation through a SAP-independent extracellular signal-regulated ERK-
mediated pathway. It may play a role in lymphocyte adhesion. Isoform 3 does not mediate any
activation. SAP can bind the cytoplasmic tail of isoform 1 when phosphorylated in the presence
of Fyn (in vitro). SLAMF7 is expressed in spleen, lymph node, peripheral blood leukocytes, bone
marrow, small intestine, stomach, appendix, lung and trachea. Expression was detected in NK
cells, activated B-cells, NK-cell line but not in promyelocytic, B-, or T-cell lines. The isoform 3 is
expressed at much lower level than isoform 1. There are three named isoforms.

UniProt:

Q9NQ25

Application Details

Application Notes:	WB 1:300-5000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months