# antibodies -online.com





# anti-CTGF antibody (AA 248-349)

2 Images



#### Go to Product page

#### Overview

Quantity:	100 μL
Target:	CTGF
Binding Specificity:	AA 248-349
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CTGF antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

Purpose:	Monoclonal Antibody to Connective Tissue Growth Factor (CTGF)
Immunogen:	Recombinant Connective Tissue Growth Factor (CTGF) corresdonding to Glu248~Ala349 (Accession # P29279)
Clone:	C2
Isotype:	IgG2a kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against CTGF. It has been selected for its ability to recognize CTGF in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Protein A + Protein G affinity chromatography

## **Target Details**


Target:	CTGF
Alternative Name:	Connective Tissue Growth Factor (CTGF Products)
Background:	CCN2, HCS24, IGFBP8, NOV2, Insulin-Like Growth Factor-Binding Protein 8, Hypertrophic Chondrocyte-Specific Protein 24, CCN Family Member 2
Pathways:	Regulation of Lipid Metabolism by PPARalpha, Positive Regulation of Endopeptidase Activity,  Growth Factor Binding

## **Application Details**

Application Notes:	Western blotting: 0.5-2 µg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


# Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



## **Immunohistochemistry**

**Image 1.** Detection of CTGF in Human Cardiac Muscle Tissue using Monoclonal Antibody to Connective Tissue Growth Factor (CTGF)



## **Western Blotting**

**Image 2.** Detection of Recombinant CTGF, Human using Monoclonal Antibody to Connective Tissue Growth Factor (CTGF)