antibodies -online.com





anti-IL-2 antibody (AA 21-153)

3 Images



Overview

Quantity:	100 μL
Target:	IL-2 (IL2)
Binding Specificity:	AA 21-153
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This IL-2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Interleukin 2 (IL2)
Immunogen:	Recombinant Interleukin 2 (IL2) corresdonding to Ala21~Thr153 with N-terminal His Tag
Clone:	C5
Isotype:	IgG2b kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against IL2. It has been selected for its ability to recognize IL2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Protein A + Protein G affinity chromatography

Target Details


Target:	IL-2 (IL2)
Alternative Name:	Interleukin 2 (IL2 Products)
Background:	TCGF, Lymphokine, T-Cell Growth Factor, Aldesleukin
Pathways:	JAK-STAT Signaling, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, Activated T Cell Proliferation

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of IL2 in Rat Stomach lysate using Monoclonal Antibody to Interleukin 2 (IL2)



Western Blotting

Image 2. Detection of Recombinant IL2, Human using Monoclonal Antibody to Interleukin 2 (IL2)



Immunohistochemistry

Image 3. Detection of IL2 in Human Liver Tissue using Monoclonal Antibody to Interleukin 2 (IL2)