

Datasheet for ABIN7425812  
**anti-CXCL7 antibody (AA 59-128)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	100 µL
Target:	CXCL7 (PPBP)
Binding Specificity:	AA 59-128
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CXCL7 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Monoclonal Antibody to Chemokine (C-X-C motif) ligand 7 ( CXCL7)
Immunogen:	Recombinant Chemokine (C-X-C motif) ligand 7 ( CXCL7) corresponding to Ala59~Asp128 (Accession # P02775)
Clone:	C3
Isotype:	IgG2a kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against CXCL7. It has been selected for its ability to recognize CXCL7 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Protein A + Protein G affinity chromatography

## Target Details


Target:	CXCL7 (PPBP)
Alternative Name:	Chemokine (C-X-C motif) ligand 7 ( <a href="#">PPBP Products</a> )
Background:	CXCL7, PPBP, PBP, B-TG1, CTAP-III, CTAP3, CTAPIII, LA-PF4, LDGF, MDGF, NAP2, SCYB7, TC1, TC2, TGB1, THBGB1, Pro-Platelet Basic Protein, Beta-Thromboglobulin

## Application Details

Application Notes:	Western blotting: 0.5-5 µg/mL Immunocytochemistry in formalin fixed cells: 5-30 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-30 µg/mL Immunohistochemistry in paraffin section: 5-30 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

**Image 1.** Detection of CXCL7 in Human Liver lysate using Monoclonal Antibody to Chemokine (C-X-C motif) ligand 7 (CXCL7)

Western Blotting

**Image 2.** Detection of recombinant CXCL7 using Monoclonal Antibody to Chemokine (C-X-C motif) ligand 7 (CXCL7)