

Datasheet for ABIN7426016

anti-FGF23 antibody[Go to Product page](#)**1** Image

Overview

Quantity:	100 µL
Target:	FGF23
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This FGF23 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Fibroblast Growth Factor 23 (FGF23)
Immunogen:	Recombinant Fibroblast Growth Factor 23 (FGF23)
Clone:	7#
Isotype:	IgG1 kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against FGF23. It has been selected for its ability to recognize FGF23 in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography

Target Details

Target:	FGF23
---------	-------

Target Details


Alternative Name:	Fibroblast Growth Factor 23 (FGF23 Products)
Background:	ADHR, HYPF, HPDR2, PHPTC, Phosphatonin, Tumor-derived hypophosphatemia-inducing factor
Pathways:	RTK Signaling , Fc-epsilon Receptor Signaling Pathway , EGFR Signaling Pathway , Neurotrophin Signaling Pathway , Negative Regulation of Hormone Secretion

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:500-2000 Immunohistochemistry: 5-20 µg/mL 1:50-200 Immunocytochemistry: 5-20 µg/mL 1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of Recombinant FGF23, Human using Monoclonal Antibody to Fibroblast Growth Factor 23 (FGF23)