



[Go to Product page](#)

Datasheet for ABIN7426097

anti-GIP antibody

1 Image

Overview

Quantity:	100 µL
Target:	GIP
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This GIP antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Gastric Inhibitory Polypeptide (GIP)
Immunogen:	OVA Conjugated Gastric Inhibitory Polypeptide (GIP)
Clone:	A1
Isotype:	IgG2b kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against GIP. It has been selected for its ability to recognize GIP in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography

Target Details

Target:	GIP
---------	-----

Target Details


Alternative Name:	Gastric Inhibitory Polypeptide (GIP Products)
Background:	Incretin hormone, Glucose Dependent Insulinotropic Peptide
Pathways:	Positive Regulation of Peptide Hormone Secretion , Peptide Hormone Metabolism , Hormone Activity , Regulation of Lipid Metabolism by PPARAlpha , Lipid Metabolism

Application Details

Application Notes:	Immunohistochemistry: 5-20 µg/mL 1:50-200 Immunocytochemistry: 5-20 µg/mL 1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of GIP in Rat Rectum Cancer Tissue using Monoclonal Antibody to Gastric Inhibitory Polypeptide (GIP)