antibodies -online.com







Images



_					
U	V	er	VI	е	W

Quantity:	100 μL	
Target:	ARG	
Binding Specificity:	AA 1-322	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This ARG antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Monoclonal Antibody to Arginase (ARG)
Immunogen:	Recombinant Arginase (ARG) corresdonding to Met1~Lys322 with N-terminal His Tag
Clone:	C8
Isotype:	IgG1 kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against ARG. It has been selected for its ability to recognize ARG in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Protein A + Protein G affinity chromatography


Target Details

Target:	ARG
Alternative Name:	Arginase (ARG Products)
Background:	ARG1, Arginase I, Liver Arginase
Application Details	

Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of ARG in Mouse Liver lysate using Monoclonal Antibody to Arginase (ARG)

Western Blotting

Image 2. Detection of Recombinant ARG, Human using Monoclonal Antibody to Arginase (ARG)



Immunohistochemistry

Image 3. Detection of ARG in Human Liver Tissue using Monoclonal Antibody to Arginase (ARG)

Please check the product details page for more images. Overall 7 images are available for ABIN7426190.