

Datasheet for ABIN7426253
anti-EpCAM antibody (AA 24-264)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	EpCAM (EPCAM)
Binding Specificity:	AA 24-264
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This EpCAM antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Epithelial Cell Adhesion Molecule (EPCAM)
Immunogen:	Recombinant Epithelial Cell Adhesion Molecule (EPCAM) corresponding to Gln24~Leu264 with N-terminal His and GST Tag
Clone:	C9
Isotype:	IgG1 kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against EPCAM. It has been selected for its ability to recognize EPCAM in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Protein A + Protein G affinity chromatography

Target Details


Target:	EpCAM (EPCAM)
Alternative Name:	EPCAM (EPCAM Products)
Background:	CD326, TACSTD1, EGP, KSA, M4S1, MIC18, TROP1, HEGP2, ESA, Epithelial glycoprotein, Adenocarcinoma-associated antigen, Tumor Associated Calcium Signal Transducer 1
UniProt:	P16422

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL, Immunohistochemistry: 5-20 µg/mL, Immunocytochemistry: 5-20 µg/mL, Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of EPCAM in Porcine Kidney lysate using Monoclonal Antibody to Epithelial Cell Adhesion Molecule (EPCAM)