

# Datasheet for ABIN7426259 anti-Perforin 1 antibody (AA 32-316)

## 1 Image



#### Overview


Quantity:	100 μL
Target:	Perforin 1 (PRF1)
Binding Specificity:	AA 32-316
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Perforin 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Monoclonal Antibody to Perforin 1 (PRF1)
Immunogen:	Recombinant Perforin 1 (PRF1) corresdonding to Lys32~Phe316 with N-terminal His and GST Tag
Clone:	C2
Isotype:	IgG1 kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against PRF1. It has been selected for its ability to recognize PRF1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Protein A + Protein G affinity chromatography

### **Target Details**

Target Details	
Target:	Perforin 1 (PRF1)
Alternative Name:	PRF1 (PRF1 Products)
Background:	FLH2, HPLH2, P1, PFP, Pore Forming Protein, Cytolysin, Lymphocyte pore-forming protein
UniProt:	P14222
Pathways:	Apoptosis, Caspase Cascade in Apoptosis
Application Details	
Application Notes:	Western blotting: 0.01-2 $\mu$ g/mL,Immunohistochemistry: 5-20 $\mu$ g/mL,Immunocytochemistry: 5-20 $\mu$ g/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.



#### **Immunohistochemistry**

**Image 1.** Detection of PRF1 in Human Spleen Tissue using Monoclonal Antibody to Perforin 1 (PRF1)