

Datasheet for ABIN742628

anti-NFKBIB antibody (pSer23)



Go to Product page

(۱۱/		٢V	Ĺ		۱٨	١.
	, v	\cup	V	1	$\overline{}$	٧	V

Quantity:	100 μL
Target:	NFKBIB
Binding Specificity:	pSer23
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NFKBIB antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human NFKBIB around the phosphorylation site of Ser23
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	NFKBIB

Target Details

rarget Details	
Alternative Name:	IKB beta (NFKBIB Products)
Background:	Synonyms: IKB beta Ser23, IKB beta S23, p-IKB beta Ser23, p-IKB beta S23, NFKBIBSer23,
	NFKBIBphospho S23, IkB-betaSer22, IkB beta, NF-kappa-B inhibitor beta, IKB beta, NF-kappa-
	BIB, TRIP-9, I-kappa-B-beta, IkappaBbeta, IkB-beta, IkB-B, Thyroid receptor-interacting protein 9,
	TR-interacting protein 9, NFKBIB, IKBB.
	Background: The protein encoded by this gene belongs to the NF-kappa-B inhibitor family,
	which inhibit NF-kappa-B by complexing with, and trapping it in the cytoplasm. Phosphorylation
	of serine residues on these proteins by kinases marks them for destruction via the
	ubiquitination pathway, thereby allowing activation of the NF-kappa-B, which translocates to the
	nucleus to function as a transcription factor. Alternatively spliced transcript variants have been
	found for this gene.[provided by RefSeq, Jul 2011].
Gene ID:	4793
Pathways:	NF-kappaB Signaling, Activation of Innate immune Response, Maintenance of Protein Location
	Toll-Like Receptors Cascades
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months