antibodies - online.com







anti-CCR7 antibody (AA 290-378)





()	ve	K\ /		A .
	\cup	1 V/	-	V۷


Quantity:	100 μL	
Target:	CCR7	
Binding Specificity:	AA 290-378	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This CCR7 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Monoclonal Antibody to Chemokine C-C-Motif Receptor 7 (CCR7)	
Immunogen:	Recombinant Chemokine C-C-Motif Receptor 7 (CCR7) corresdonding to Asn290~Pro378 with N-terminal His Tag	
Clone:	C2	
Isotype:	IgG1 kappa	
Specificity:	ne antibody is a mouse monoclonal antibody raised against CCR7. It has been selected for its bility to recognize CCR7 in immunohistochemical staining and western blotting.	
Purification:	Protein A + Protein G affinity chromatography	

Target Details

rarget Details		
Target:	CCR7	
Alternative Name:	Chemokine C-C-Motif Receptor 7 (CCR7 Products)	
Background:	CD197, CCR7, BLR2, CDw197, CMKBR7, EBI1, Epstein-Barr Virus Induced Protein 1, EBV-	
	induced G-protein coupled receptor 1, MIP-3 beta receptor	
Pathways:	Regulation of Actin Filament Polymerization, Positive Regulation of Immune Effector Process	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:500-2000 Immunohistochemistry: 5-20 μg/mL	
	1:50-200 Immunocytochemistry: 5-20 μg/mL	
	1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of Recombinant CCR7, Human using Monoclonal Antibody to Chemokine C-C-Motif Receptor 7 (CCR7)