

Datasheet for ABIN7426337 anti-FABP4 antibody (AA 2-132)

Image




()	11 /	er	~\ /	10	1 4
	1 / /	-1	١/	-	1///
\sim	٧.	\sim 1	v	\sim	· v v

Quantity:	100 μL
Target:	FABP4
Binding Specificity:	AA 2-132
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This FABP4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Purpose:	Monoclonal Antibody to Fatty Acid Binding Protein 4 (FABP4)
	Monoclonal Antibody to Fatty Acid Binding Protein 4 (FABP4) Recombinant Fatty Acid Binding Protein 4 (FABP4) corresdonding to Cys2~Ala132 with N-terminal His Tag
Purpose:	Recombinant Fatty Acid Binding Protein 4 (FABP4) corresdonding to Cys2~Ala132 with N-
Purpose: Immunogen:	Recombinant Fatty Acid Binding Protein 4 (FABP4) corresdonding to Cys2~Ala132 with N-terminal His Tag
Purpose: Immunogen: Clone:	Recombinant Fatty Acid Binding Protein 4 (FABP4) corresdonding to Cys2~Ala132 with N-terminal His Tag C12
Purpose: Immunogen: Clone: Isotype:	Recombinant Fatty Acid Binding Protein 4 (FABP4) corresdonding to Cys2~Ala132 with N-terminal His Tag C12 IgG1 kappa The antibody is a mouse monoclonal antibody raised against FABP4. It has been selected for

Target Details

Target Details	
Target:	FABP4
Alternative Name:	FABP4 (FABP4 Products)
Background:	A-FABP, AFABP, AP2, Fatty Acid Binding Protein 4, Adipocyte, Adipocyte Protein 2, Adipocyte-
	type fatty acid-binding protein
UniProt:	P15090
Pathways:	Brown Fat Cell Differentiation
Application Details	
Application Notes:	Western blotting: 0.01-2 μ g/mL,Immunohistochemistry: 5-20 μ g/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of FABP4 in Porcine Cardiac Muscle Tissue using Monoclonal Antibody to Fatty Acid Binding Protein 4 (FABP4)