antibodies - online.com







anti-Factor VII antibody (AA 334-452)



Image



\sim		
1 11/0	r\ /I	$\cap \backslash \backslash \backslash \backslash$
Ove	1 V I	-vv
\sim . \sim		\sim \cdot \cdot


Quantity:	100 μL
Target:	Factor VII (F7)
Binding Specificity:	AA 334-452
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Factor VII antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Coagulation Factor VII (F7)	
Immunogen:	Recombinant Coagulation Factor VII (F7) corresdonding to Ala334~Arg452 (Accession # P08709)	
Clone:	1#	
Isotype:	IgG2a kappa	
Specificity:	The antibody is a mouse monoclonal antibody raised against F7. It has been selected for its ability to recognize F7 in immunohistochemical staining and western blotting.	
Purification:	Protein A + Protein G affinity chromatography	

Target Details

Target:	Factor VII (F7)	
Alternative Name:	Coagulation Factor VII (F7 Products)	
Background:	FVII, SPCA, proconvertin, Cothromboplastin, Serum Prothrombin Conversation Accelerator, Stable Factor, Eptacog alfa	
Pathways:	Response to Growth Hormone Stimulus, Platelet-derived growth Factor Receptor Signaling	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of Recombinant F7, Human using Monoclonal Antibody to Coagulation Factor VII (F7)