

Datasheet for ABIN7426571
anti-CEACAM1 antibody

3 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	CEACAM1
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CEACAM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Carcinoembryonic Antigen Related Cell Adhesion Molecule 1 (CEACAM1)
Immunogen:	Recombinant Carcinoembryonic Antigen Related Cell Adhesion Molecule 1 (CEACAM1)
Clone:	C2
Isotype:	IgG1 kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against CEACAM1. It has been selected for its ability to recognize CEACAM1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig, Rat
Purification:	Protein A + Protein G affinity chromatography

Target Details


Target:	CEACAM1
Alternative Name:	Carcinoembryonic Antigen Related Cell Adhesion Molecule 1 (CEACAM1 Products)
Background:	CD66a, BGP, BGP1, BGPI, CD66-A, Biliary Glycoprotein

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:500-2000 Immunohistochemistry: 5-20 µg/mL 1:50-200 Immunocytochemistry: 5-20 µg/mL 1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of CEACAM1 in Human Kidney Tissue using Monoclonal Antibody to Carcinoembryonic Antigen Related Cell Adhesion Molecule 1 (CEACAM1)



Western Blotting

Image 2. Detection of Recombinant CEACAM1, Human using Monoclonal Antibody to Carcinoembryonic Antigen Related Cell Adhesion Molecule 1 (CEACAM1)



Immunohistochemistry

Image 3. Detection of CEACAM1 in Human Liver Tissue using Monoclonal Antibody to Carcinoembryonic Antigen Related Cell Adhesion Molecule 1 (CEACAM1)