

Datasheet for ABIN7426709  
**anti-SHBG antibody (AA 222-358)**

## 3 Images

[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	SHBG
Binding Specificity:	AA 222-358
Reactivity:	Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This SHBG antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Monoclonal Antibody to Sex Hormone Binding Globulin (SHBG)
Immunogen:	Recombinant Sex Hormone Binding Globulin (SHBG) corresponding to Leu222~Ser358 with N-terminal His Tag
Clone:	C3
Isotype:	IgG2b kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against SHBG. It has been selected for its ability to recognize SHBG in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Protein A + Protein G affinity chromatography

## Target Details


Target:	SHBG
Alternative Name:	Sex Hormone Binding Globulin ( <a href="#">SHBG Products</a> )
Background:	ABP, TEBG, SBP, Sex steroid-binding protein, Testis-specific androgen-binding protein, Testosterone-estradiol-binding globulin, Testosterone-estrogen-binding globulin
Pathways:	<a href="#">Hormone Transport</a>

## Application Details

Application Notes:	Western blotting: 0.5-5 µg/mL Immunohistochemistry: 5-30 µg/mL Immunocytochemistry: 5-30 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### Immunohistochemistry

**Image 1.** Detection of SHBG in Rat Cardiac Muscle Tissue using Monoclonal Antibody to Sex Hormone Binding Globulin (SHBG)



#### Western Blotting

**Image 2.** Detection of Recombinant SHBG, Rat using Monoclonal Antibody to Sex Hormone Binding Globulin (SHBG)



#### Immunohistochemistry

**Image 3.** Detection of SHBG in Rat Liver Tissue using Monoclonal Antibody to Sex Hormone Binding Globulin (SHBG)