antibodies - online.com







anti-Angiopoietin 4 antibody (AA 271-491)



Image



Overview


Quantity:	100 μL
Target:	Angiopoietin 4 (ANGPT4)
Binding Specificity:	AA 271-491
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Angiopoietin 4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Angiopoietin-3 (ANG-3)
Immunogen:	Recombinant Angiopoietin-3 (ANG-3) corresdonding to Phe271~Asp491 with N-terminal His Tag
Clone:	D4
Isotype:	IgG
Specificity:	The antibody is a mouse monoclonal antibody raised against ANG-3. It has been selected for its ability to recognize ANG-3 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Protein A + Protein G affinity chromatography

Target Details	
Target:	Angiopoietin 4 (ANGPT4)
Alternative Name:	Angiopoietin-3 (ANGPT4 Products)
Background:	ANG3, ARP1, ANGPTL1, ANGPT3, AngY, Angioarrestin, Angiopoietin Like Protein 1, Angiopoietin-related protein 1
Pathways:	RTK Signaling
Application Details	
Application Notes:	Western blotting: 0.5-5 μ g/mL Immunohistochemistry: 5-30 μ g/mL Immunocytochemistry: 5-30 μ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300.

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300.
Preservative:	Dithiothreitol (DTT), ProClin
Precaution of Use:	This product contains ProClin and Dithiothreitol (DTT): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of Recombinant ANGPTL1, Human using Monoclonal Antibody to Angiopoietin-3 (ANG-3)