# antibodies - online.com







# anti-Reelin antibody (AA 2400-2610)



# Image



#### Overview

Quantity:	100 μL
Target:	Reelin (RELN)
Binding Specificity:	AA 2400-2610
Reactivity:	Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Reelin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Monoclonal Antibody to Reelin (RELN)
Immunogen:	Recombinant Reelin (RELN) corresdonding to Glu2400~Leu2610 with N-terminal His Tag
Clone:	C16
Isotype:	IgG2b kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against RELN. It has been selected for its ability to recognize RELN in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography

## **Target Details**

Storage Comment:

Expiry Date:


Target:	Reelin (RELN)
Alternative Name:	Reelin (RELN Products)
Background:	RL
Pathways:	Synaptic Membrane

Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL  1:330-1300 Immunohistochemistry: 5-20 μg/mL  1:33-130 Immunocytochemistry: 5-20 μg/mL  1:33-130 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C

detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without



## **Western Blotting**

Image 1. Detection of Recombinant Reelin, Rat using Monoclonal Antibody to Reelin (RELN)