antibodies - online.com







anti-IL-10 antibody (AA 19-178)





Overview

Quantity:	100 μL
Target:	IL-10 (IL10)
Binding Specificity:	AA 19-178
Reactivity:	Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This IL-10 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Interleukin 10 (IL10)
Immunogen:	Recombinant Interleukin 10 (IL10) corresdonding to Ser19~Asn178 with N-terminal His Tag
Clone:	C3
Isotype:	IgG2a kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against IL10. It has been selected for its ability to recognize IL10 in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography


Target Details

Target:	IL-10 (IL10)
Alternative Name:	Interleukin 10 (IL10 Products)
Background:	CSIF, IL10A, TGIF, Cytokine Synthesis Inhibitory Factor
Pathways:	Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity, Production of Molecular Mediator of Immune Response, Maintenance of Protein Location, Cancer Immune Checkpoints

Application Details


Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Farmat:	Liquid

Tranuling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of IL10 in Rat Kidney Tissue using Monoclonal Antibody to Interleukin 10 (IL10)



Western Blotting

Image 2. Detection of Recombinant IL10, Rat using Monoclonal Antibody to Interleukin 10 (IL10)



Immunohistochemistry

Image 3. Detection of IL10 in Rat Stomach Tissue using Monoclonal Antibody to Interleukin 10 (IL10)