# antibodies - online.com







## anti-IL-17 antibody (AA 25-153)



Image



-						
( )	\/		r١	/1	0	۱۸/
$\sim$	V	$\overline{}$	1 V	1	$\sim$	v v


Quantity:	100 μL
Target:	IL-17 (IL17)
Binding Specificity:	AA 25-153
Reactivity:	Pig
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This IL-17 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Monoclonal Antibody to Interleukin 17 (IL17)		
Immunogen:	Recombinant Interleukin 17 (IL17) corresdonding to Ile25~Ser153 with N-terminal His Tag		
Clone:	C2		
Isotype:	IgG1 kappa		
Specificity:	The antibody is a mouse monoclonal antibody raised against IL17. It has been selected for its ability to recognize IL17 in immunohistochemical staining and western blotting.		
Purification:	Protein A + Protein G affinity chromatography		

### **Target Details**

rarget Details			
Target:	IL-17 (IL17)		
Alternative Name:	Interleukin 17 (IL17 Products)		
Background:	IL17A, CTLA8, IL-17A, Cytotoxic T-Lymphocyte-Associated Protein 8		
Application Details			
Application Notes:	Western blotting: 0.5-2 μg/mL		
	Immunohistochemistry: 5-20 μg/mL		
	Immunocytochemistry: 5-20 μg/mL		
	Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.		
Preservative:	Sodium azide		
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which		
	should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without		
	detectable loss of activity. Avoid repeated freeze-thaw cycles.		
Expiry Date:	24 months		



#### **Immunohistochemistry**

**Image 1.** Detection of IL17 in Porcine Small intestine Tissue using Monoclonal Antibody to Interleukin 17 (IL17)