

Datasheet for ABIN7427132
anti-REG3g antibody (AA 39-175)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	REG3g
Binding Specificity:	AA 39-175
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This REG3g antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Regenerating Islet Derived Protein 3 Gamma (REG3g)
Immunogen:	Recombinant Regenerating Islet Derived Protein 3 Gamma (REG3g) corresponding to Ser39~Asp175 with N-terminal His Tag
Clone:	C18
Isotype:	IgG2b kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against REG3g. It has been selected for its ability to recognize REG3g in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Protein A + Protein G affinity chromatography

Target Details


Target:	REG3g
Alternative Name:	Regenerating Islet Derived Protein 3 Gamma (REG3g Products)
Background:	REG-III, PAP1B, PAPIB, UNQ429, Pancreatitis-associated protein 1B, Regenerating islet-derived protein III-gamma
Pathways:	Activation of Innate immune Response

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:500-2000 Immunohistochemistry: 5-20 µg/mL 1:50-200 Immunocytochemistry: 5-20 µg/mL 1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of REG3g in Human Stomach Tissue using Monoclonal Antibody to Regenerating Islet Derived Protein 3 Gamma (REG3g)