# antibodies -online.com





## anti-GGH antibody (AA 25-318)





#### Go to Product page

-						
()	V	0	rv	1	е.	W

Quantity:	100 μL
Target:	GGH
Binding Specificity:	AA 25-318
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This GGH antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

#### **Product Details**


Purpose:	Monoclonal Antibody to Gamma-Glutamyl Hydrolase (gGH)	
Immunogen:	Recombinant Gamma-Glutamyl Hydrolase (gGH) corresdonding to Arg25~Asp318 with N-terminal His Tag	
Clone:	C3	
Isotype:	IgG1 kappa	
Specificity:	The antibody is a mouse monoclonal antibody raised against gGH. It has been selected for its ability to recognize gGH in immunohistochemical staining and western blotting.	
Purification:	Protein A + Protein G affinity chromatography	

### Target Details

Target:	GGH
Alternative Name:	Gamma-Glutamyl Hydrolase (GGH Products)
Background:	GH, conjugase, folylpolygammaglutamyl hydrolase, Gamma-Glu-X carboxypeptidase
Pathways:	SARS-CoV-2 Protein Interactome

## Application Details

Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



#### **Western Blotting**

**Image 1.** Detection of gGH in Human Placenta lysate using Monoclonal Antibody to Gamma-Glutamyl Hydrolase (gGH)