## antibodies -online.com









0	V	e	rV	ĺ	е	٧	V


Quantity:	100 μL
Target:	MSRA
Binding Specificity:	AA 27-235
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This MSRA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

Purpose:	Monoclonal Antibody to Methionine Sulfoxide Reductase A (MSRA)	
Immunogen:	Recombinant Methionine Sulfoxide Reductase A (MSRA) corresdonding to Ala27~Lys235 with N-terminal His Tag	
Clone:	C4	
Isotype:	IgG2a kappa	
Specificity:	The antibody is a mouse monoclonal antibody raised against MSRA. It has been selected for its ability to recognize MSRA in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig	
Purification:	Protein A + Protein G affinity chromatography	

## **Target Details**

g		
Target:	MSRA	
Alternative Name:	Methionine Sulfoxide Reductase A (MSRA Products)	
Background:	PMSR, Peptide Methionine Sulfoxide Reductase, Protein-methionine-S-oxide reductase	
Application Details		
Application Notes:	Western blotting: 0.2-2 µg/mL	
	1:500-5000 Immunohistochemistry: 5-20 μg/mL	
	1:50-200 Immunocytochemistry: 5-20 µg/mL	
	1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



## **Immunohistochemistry**

**Image 1.** Detection of MSRA in Human Kidney Tissue using Monoclonal Antibody to Methionine Sulfoxide Reductase A (MSRA)