antibodies -online.com





anti-Supervillin antibody (AA 1385-1525)



Image



Go to Product page

| _ | | | | | | |
|-----|---|---|----|----|-----------|---|
| () | V | ρ | rv | 16 | \supset | Λ |
| | | | | | | |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | Supervillin (SVIL) | |
| Binding Specificity: | AA 1385-1525 | |
| Reactivity: | Human | |
| Host: | Mouse | |
| Clonality: | Monoclonal | |
| Conjugate: | This Supervillin antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details

| Purpose: | Monoclonal Antibody to Supervillin (SVIL) | |
|---------------|---|--|
| Immunogen: | Recombinant Supervillin (SVIL) corresdonding to Cys1385~Leu1525 with N-terminal His Tag | |
| Clone: | 8# | |
| Isotype: | IgG1 kappa | |
| Specificity: | The antibody is a mouse monoclonal antibody raised against SVIL. It has been selected for its ability to recognize SVIL in immunohistochemical staining and western blotting. | |
| Purification: | Protein A + Protein G affinity chromatography | |

Target Details


| Target: | Supervillin (SVIL) |
|-------------------|-----------------------------|
| Alternative Name: | Supervillin (SVIL Products) |
| Background: | P205/p250, Archvillin |

Application Details

| Application Notes: | Western blotting: 0.5-2 μg/mL | |
|--------------------|--|--|
| | 1:500-2000 Immunohistochemistry: 5-20 μg/mL | |
| | 1:50-200 Immunocytochemistry: 5-20 μg/mL | |
| | 1:50-200 Optimal working dilutions must be determined by end user. | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated | |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious | |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration | |
| | date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |

Handling

| Format: | Liquid | |
|--------------------|---|--|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |



Western Blotting

Image 1. Detection of Recombinant SVIL, Human using Monoclonal Antibody to Supervillin (SVIL)