

Datasheet for ABIN742778

anti-IRS1 antibody (pSer636, pSer639)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	IRS1
Binding Specificity:	pSer636, pSer639
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IRS1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Flow Cytometry (FACS)

Product Details

Immunogen:	KLH conjugated synthetic phosphopeptide derived from human IRS1 around the phosphorylation site of Ser636/639 [PM(p-S)PK(p-S)VS]
Isotype:	IgG
Specificity:	This phosphorylation site is homologous to Ser632 + ser635 in Mouse and Rat IRS1. This protein is known to be highly conserved in this sequences region, thus , this antibody may react with IRS2 when phosphorylated at Ser679 + Ser682 in Human , Ser675 + Ser678 in Mouse, and Ser676 +Ser679 in Rat based on homology.
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	IRS1
Alternative Name:	IRS1 + (IRS1 Products)
Background:	Synonyms: HIRS-1, Insulin receptor substrate 1, IRS-1, IRS1 Background: May mediate the control of various cellular processes by insulin. When phosphorylated by the insulin receptor binds specifically to various cellular proteins containing SH2 domains such as phosphatidylinositol 3-kinase p85 subunit or GRB2. Activates phosphatidylinositol 3-kinase when bound to the regulatory p85 subunit (By similarity).
Gene ID:	3667
UniProt:	P35568
Pathways:	Fc-epsilon Receptor Signaling Pathway , EGFR Signaling Pathway , Neurotrophin Signaling Pathway , Positive Regulation of Peptide Hormone Secretion , Hormone Transport , Negative Regulation of Hormone Secretion , Response to Growth Hormone Stimulus , Carbohydrate Homeostasis , Regulation of Carbohydrate Metabolic Process

Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000 FCM 1:20-100 IHC-P 1:200-400
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Handling

Expiry Date: 12 months

Images



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded human cervical carcinoma labeled with Anti phospho-IRS1(Ser636/639) Polyclonal Antibody, Unconjugated (ABIN742778) at 1:200 followed by conjugation to the secondary antibody and DAB staining