# antibodies -online.com





## anti-LPO antibody (AA 351-589)





#### Overview


Quantity:	100 μL
Target:	LPO
Binding Specificity:	AA 351-589
Reactivity:	Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This LPO antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Monoclonal Antibody to Lactoperoxidase (LPO)
Immunogen:	Recombinant Lactoperoxidase (LPO) corresdonding to Pro351~Glu589 (Accession # D4A400)
Clone:	15#
Isotype:	IgG2b kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against LPO. It has been selected for its ability to recognize LPO in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Protein A + Protein G affinity chromatography

### **Target Details**

9	
Target:	LPO
Alternative Name:	Lactoperoxidase (LPO Products)
Background:	SPO, Salivary peroxidase
Application Details	
Application Notes:	Western blotting: $0.5-5~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-30~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-30~\mu g/mL$ Immunohistochemistry in paraffin section: $5-30~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Western Blotting**

**Image 1.** Detection of Recombinant LPO, Rat using Monoclonal Antibody to Lactoperoxidase (LPO)