antibodies - online.com







anti-S100A6 antibody (AA 1-89)



Images



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | S100A6 |
| Binding Specificity: | AA 1-89 |
| Reactivity: | Mouse |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Conjugate: | This S100A6 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |


Product Details

| Purpose: | Monoclonal Antibody to S100 Calcium Binding Protein A6 (S100A6) |
|-------------------|---|
| Immunogen: | Recombinant S100 Calcium Binding Protein A6 (S100A6) corresdonding to Met1~Lys89 with N-terminal His Tag |
| Clone: | A2 |
| Isotype: | IgG |
| Specificity: | The antibody is a mouse monoclonal antibody raised against S100A6. It has been selected for its ability to recognize S100A6 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Human, Rat |
| Purification: | Protein A + Protein G affinity chromatography |

| Target Details | |
|---------------------|---|
| Target: | S100A6 |
| Alternative Name: | S100 Calcium Binding Protein A6 (S100A6 Products) |
| Background: | S100-A6, 2A9, 5B10, CABP, CACY, PRA, MLN 4, Calcyclin, Growth factor-inducible protein 2A9, Prolactin receptor-associated protein |
| Pathways: | S100 Proteins |
| Application Details | |
| Application Notes: | Western blotting: 0.5-5 μg/mL Immunohistochemistry: 5-30 μg/mL Immunocytochemistry: 5-30 μg/mL Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |


Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Immunohistochemistry

Image 1. Detection of S100A6 in Mouse Kidney Tissue using Monoclonal Antibody to S100 Calcium Binding Protein A6 (S100A6)



Western Blotting

Image 2. Detection of Recombinant S100A6, Mouse using Monoclonal Antibody to S100 Calcium Binding Protein A6 (S100A6)



Immunohistochemistry

Image 3. Detection of S100A6 in Mouse Ovary Tissue using Monoclonal Antibody to S100 Calcium Binding Protein A6 (S100A6)