antibodies -online.com







anti-alpha 2 Macroglobulin antibody (AA 216-437)



Image



()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL	
Target:	alpha 2 Macroglobulin (A2M)	
Binding Specificity:	AA 216-437	
Reactivity:	Rat	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This alpha 2 Macroglobulin antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Monoclonal Antibody to Alpha-2-Macroglobulin (a2M)	
Immunogen:	Recombinant Alpha-2-Macroglobulin (a2M) corresdonding to Arg216~Phe437 (Accession # P06238)	
Clone:	A1	
Isotype:	IgG2b kappa	
Specificity:	The antibody is a mouse monoclonal antibody raised against a2M. It has been selected for its ability to recognize a2M in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse	
Purification:	Protein A + Protein G affinity chromatography	


Target Details

Target Details		
Target:	alpha 2 Macroglobulin (A2M)	
Alternative Name:	Alpha-2-Macroglobulin (A2M Products)	
Background:	A2MG, A2 mg, CPAMD5, C3 and PZP-like alpha-2-macroglobulin domain-containing protein 5	
Pathways:	Lipid Metabolism	
Application Details		
Application Notes:	Western blotting: 0.5-5 μg/mL Immunocytochemistry in formalin fixed cells: 5-30 μg/mL Immunohistochemistry in formalin fixed frozen section: 5-30 μg/mL Immunohistochemistry in paraffin section: 5-30 μg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	

detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months

Expiry Date:



Western Blotting

Image 1. Detection of Recombinant a2M, Rat using Monoclonal Antibody to Alpha-2-Macroglobulin (a2M)