antibodies - online.com







anti-ACTH antibody



| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μL | |
|--------------|--|--|
| Target: | ACTH | |
| Reactivity: | Human | |
| Host: | Mouse | |
| Clonality: | Monoclonal | |
| Conjugate: | This ACTH antibody is un-conjugated | |
| Application: | Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details

| Purpose: | Monoclonal Antibody to Adrenocorticotropic Hormone (ACTH) | |
|---------------|---|--|
| Immunogen: | OVA Conjugated Adrenocorticotropic Hormone (ACTH) | |
| Clone: | C14 | |
| Isotype: | IgG2b kappa | |
| Specificity: | The antibody is a mouse monoclonal antibody raised against ACTH. It has been selected for its ability to recognize ACTH in immunohistochemical staining and western blotting. | |
| Purification: | Protein A + Protein G affinity chromatography | |
| T D 1 | | |

Target Details

Target: **ACTH**

Target Details

| Alternative Name: | Adrenocorticotropic Hormone (ACTH Products) |
|--|---|
| Background: | Corticotropin, Adrenocorticotropin |
| Pathways: Metabolism of Steroid Hormones and Vitamin D, Peptide Hormone Metabolism, Hormone Activity | |

Application Details

| Application Notes: | Immunohistochemistry: 5-30 μg/mL Immunocytochemistry: 5-30 μg/mL Optimal working | |
|--------------------|--|--|
| | dilutions must be determined by end user. | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated | |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious | |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration | |
| | date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |

Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |