

#### Datasheet for ABIN742810

# anti-IRS1 antibody (pTyr1229) (Biotin)



#### Overview

Quantity:	100 μL
Target:	IRS1
Binding Specificity:	pTyr1229
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IRS1 antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry
	(Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human IRS1 around the
	phosphorylation site of Tyr1229 [R(p-S)SE]
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	IRS1

### **Target Details**

Alternative Name:	IRS1 (IRS1 Products)
Background:	Synonyms: p-IRS1, IRS1Tyr1229, HIRS 1, HIRS1, Insulin Receptor Substrate 1, IRS-1, IRS 1, IRS1
	Background: Insulin receptor substrates (IRS) are responsible for several insulin related
	activities, such as glucose homeostasis, cell growth, cell transformation, apoptosis and insulin
	signal transduction. Serine/threonine phosphorylation of IRS1 has been demonstrated to be a
	negative regulator of insulin signaling and is responsible for its degradation, although IRS1
	degradation pathways are not well understood. IRS1 has also been shown to be constitutively
	activated in cancers such as breast cancer, Wilm's tumors, and adrenal cortical carcinomas,
	thus making IRS1 phosphorylation and subsequent degradation an attractive therapeutic
	target. To date there have been four subtypes identified: IRS1, 2, 3 and 4, with IRS1 being widely
	expressed.
Gene ID:	3667
Pathways:	Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling
	Pathway, Positive Regulation of Peptide Hormone Secretion, Hormone Transport, Negative
	Regulation of Hormone Secretion, Response to Growth Hormone Stimulus, Carbohydrate
	Homeostasis, Regulation of Carbohydrate Metabolic Process
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Buffer: Preservative:	
Preservative:	50 % Glycerol.  ProClin

## Handling

Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months