antibodies - online.com







anti-EBI3 antibody (AA 21-229)



Image



Overview

Quantity:	100 μL
Target:	EBI3 (IL-27b)
Binding Specificity:	AA 21-229
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This EBI3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Monoclonal Antibody to Epstein Barr Virus Induced Protein 3 (EBI3)
Immunogen:	Recombinant Epstein Barr Virus Induced Protein 3 (EBI3) corresdonding to Arg21~Lys229 with N-terminal His Tag
Clone:	W23
Isotype:	IgG
Specificity:	The antibody is a mouse monoclonal antibody raised against EBI3. It has been selected for its ability to recognize EBI3 in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography

Target Details

Target:	EBI3 (IL-27b)
Alternative Name:	Epstein Barr Virus Induced Protein 3 (IL-27b Products)
Target Type:	Viral Protein
Background:	IL27B, IL27-B, Interleukin 27B, Epstein-Barr virus-induced gene 3 protein, EBV-induced gene 3 protein
Application Dataila	

Background:	IL27B, IL27-B, Interleukin 27B, Epstein-Barr virus-induced gene 3 protein, EBV-induced gene 3 protein
Application Details	
Application Notes:	Western blotting: $0.5-5~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-30~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-30~\mu g/mL$ Immunohistochemistry in paraffin section: $5-30~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. Expiry Date: 24 months



Immunohistochemistry

Image 1. Detection of EBI3 in Human Stomach Tissue using Monoclonal Antibody to Epstein Barr Virus Induced Protein 3 (EBI3)