

Datasheet for ABIN7428731

**anti-beta-2 Microglobulin antibody (AA 22-119)**[Go to Product page](#)

## 4 Images

## Overview

Quantity:	100 µL
Target:	beta-2 Microglobulin (B2M)
Binding Specificity:	AA 22-119
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This beta-2 Microglobulin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Monoclonal Antibody to Beta-2-Microglobulin (b2M)
Immunogen:	Eukaryotic Beta-2-Microglobulin (b2M) corresponding to Gln22~Met119 with N-terminal His Tag
Clone:	C10
Isotype:	IgG2a kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against b2M. It has been selected for its ability to recognize b2M in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Protein A + Protein G affinity chromatography

## Target Details


Target:	beta-2 Microglobulin (B2M)
Alternative Name:	Beta-2-Microglobulin ( <a href="#">B2M Products</a> )
Background:	BMG, B2MG
Pathways:	<a href="#">TCR Signaling</a> , <a href="#">Regulation of Leukocyte Mediated Immunity</a> , <a href="#">Positive Regulation of Immune Effector Process</a>

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:500-2000 Immunohistochemistry: 5-20 µg/mL 1:50-200 Immunocytochemistry: 5-20 µg/mL 1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### Immunohistochemistry

**Image 1.** Detection of b2M in Human Small intestine Tissue using Monoclonal Antibody to Beta-2-Microglobulin (b2M)



#### Immunohistochemistry

**Image 2.** Detection of b2M in Human Spleen Tissue using Monoclonal Antibody to Beta-2-Microglobulin (b2M)



#### Immunohistochemistry

**Image 3.** Detection of b2M in Human Kidney Tissue using Monoclonal Antibody to Beta-2-Microglobulin (b2M)

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7428731.