# antibodies -online.com





## anti-CD94 antibody (AA 32-179)





Go to Product page

$\sim$	
( )\/⊝	view
$\bigcirc$ $\lor$ $\bigcirc$	V I C V V

Quantity:	100 μL
Target:	CD94 (KLRD1)
Binding Specificity:	AA 32-179
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD94 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Monoclonal Antibody to Killer Cell Lectin Like Receptor Subfamily D, Member 1 (KLRD1)
Immunogen:	Recombinant Killer Cell Lectin Like Receptor Subfamily D, Member 1 (KLRD1) corresdonding to Lys32~Ile179 with N-terminal His Tag
Clone:	C3
Isotype:	IgG1 kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against KLRD1. It has been selected for its ability to recognize KLRD1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Protein A + Protein G affinity chromatography


#### **Target Details**

- Target Details	
Target:	CD94 (KLRD1)
Alternative Name:	Killer Cell Lectin Like Receptor Subfamily D, Member 1 (KLRD1 Products)
Background:	CD94, KLR-D1, Natural killer cells antigen CD94, NK cell receptor
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	1:50-200 Optimal working dilutions must be determined by end user.
	1:50-200 Immunocytochemistry: 5-20 μg/mL
	1:500-2000 Immunohistochemistry: 5-20 μg/mL
Application Notes.	Western Blotting. 0.0 2 µg/m2

### Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Immunohistochemistry**

**Image 1.** Detection of KLRD1 in Human Spleen Tissue using Monoclonal Antibody to Killer Cell Lectin Like Receptor Subfamily D, Member 1 (KLRD1)