antibodies -online.com





anti-MUC5AC antibody (AA 2662-2755)





Go to Product page

\sim	
()\/⊝	view
\circ	V I C V V

Quantity:	100 μL
Target:	MUC5AC
Binding Specificity:	AA 2662-2755
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MUC5AC antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Mucin 5 Subtype AC (MUC5AC)
Immunogen:	Recombinant Mucin 5 Subtype AC (MUC5AC) corresdonding to Met2662~Gln2755 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MUC5AC. It has been selected for its ability to recognize MUC5AC in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	MUC5AC	
9		


Target Details

rarget Details	
Alternative Name:	Mucin 5 Subtype AC (MUC5AC Products)
Background:	TBM, MUC5, LeB, Oligomeric Mucus/Gel-Forming, Mucin 5,Subtypes A And
	C,Tracheobronchial/Gastric, Gastric mucin, Lewis B blood group antigen, Major airway
	glycoprotein
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of MUC5AC in Rat Stomach lysate using Polyclonal Antibody to Mucin 5 Subtype AC (MUC5AC)



Immunohistochemistry

Image 2. Detection of MUC5AC in Rat Stomach Tissue using Polyclonal Antibody to Mucin 5 Subtype AC (MUC5AC)