
antibodies - online.com







anti-APOE antibody (AA 14-167)



Images



()	ve	K\ /		A .
	\cup	1 V/	-	V۷

Quantity:	100 μL	
Target:	APOE	
Binding Specificity:	AA 14-167	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This APOE antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Apolipoprotein E (APOE)	
Immunogen:	Recombinant Apolipoprotein E (APOE) corresdonding to Thr14~Lys167 with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against APOE. It has been selected for its ability to recognize APOE in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

Expiry Date:

larget Details		
Target:	APOE	
Alternative Name:	Apolipoprotein E (APOE Products)	
Background:	Apo-E, AD2, Apoprotein, Alzheimer Disease 2(E4-Associated,Late Onset	
Pathways:	Regulation of Cell Size, Lipid Metabolism	
Application Details		
Application Notes:	Western blotting: 0.5 -2 μ g/mL Immunohistochemistry: 5 -20 μ g/mL Immunocytochemistry: 5 -20 μ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	


detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months




Immunohistochemistry

Image 1. Detection of APOE in Mouse Kidney Tissue using Polyclonal Antibody to Apolipoprotein E (APOE)



Western Blotting

Image 2. Detection of Recombinant APOE, Mouse using Polyclonal Antibody to Apolipoprotein E (APOE)



Immunohistochemistry

Image 3. Detection of APOE in Mouse Liver Tissue using Polyclonal Antibody to Apolipoprotein E (APOE)