# antibodies - online.com







## anti-Transferrin antibody (AA 361-683)



## **Images**



| ( ) | 11/0               | r\ /1      | $\triangle 1 $ |
|-----|--------------------|------------|----------------|
|     | $\lor \lor \vdash$ | $I \vee I$ | ew             |
|     |                    |            |                |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | Transferrin (TF)   |
| Binding Specificity: | AA 361-683   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This Transferrin antibody is un-conjugated   |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |


#### **Product Details**

| Purpose:          | Polyclonal Antibody to Transferrin (TF)  |  |
|-------------------|--|--|
| - 1               | · · · · · · · · · · · · · · · · · · ·  |  |
| Immunogen:        | Recombinant Transferrin (TF) corresdonding to Val361~Lys683 with N-terminal His Tag                  |  |
| Isotype:          | IgG  |  |
| Specificity:      | The antibody is a rabbit polyclonal antibody raised against TF. It has been selected for its ability |  |
|                   | to recognize TF in immunohistochemical staining and western blotting.                                |  |
| Cross-Reactivity: | Pig  |  |
| Purification:     | Antigen-specific affinity chromatography followed by Protein A affinity chromatography               |  |

### **Target Details**


| Target:             | Transferrin (TF)  |  |
|---------------------|---|--|
| Alternative Name:   | Transferrin (TF Products)   |  |
| Background:         | TRF, Siderophilin, Serotransferrin, Beta-1 metal-binding globulin |  |
| Pathways:           | Transition Metal Ion Homeostasis                                  |  |
| Application Details |   |  |

| Application Details |   |  |
|---------------------|---|--|
| Application Notes:  | Western blotting: 0.5-2 μg/mL<br>Immunohistochemistry: 5-20 μg/mL<br>Immunocytochemistry: 5-20 μg/mL<br>Optimal working dilutions must be determined by end user.   |  |
| Comment:            | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |  |
| Restrictions:       | For Research Use only   |  |
| Handling            |   |  |
| Format:             | Liquid  |  |
| Buffer:             | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.   |  |
| Preservative:       | Sodium azide  |  |
| Precaution of Use:  | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  |  |
| Storage:            | 4 °C,-20 °C   |  |
| Storage Comment:    | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.   |  |
| Expiry Date:        | 24 months   |  |




#### **Immunohistochemistry**

Image 1. Detection of TF in Human Liver Tissue using Polyclonal Antibody to Transferrin (TF)



#### **Western Blotting**

**Image 2.** Detection of Recombinant TRF, Human using Polyclonal Antibody to Transferrin (TF)



#### **Immunohistochemistry**

Image 3. Detection of TF in Human Kidney Tissue using Polyclonal Antibody to Transferrin (TF)

Please check the product details page for more images. Overall 7 images are available for ABIN7429184.